

POLYGRANITE SHEETS

POLYGRANITE SHEETS

Business Bench Polygranite Sheets are eventually utilized to decorate interior walls in both commercial and residential buildings. These sheets are ideal for use in restaurants, theatres, onjces, hotels, clubs, hospitals, and hallways. With numerous advantages, Business Bench brings Polygranite Sheets to the market.

Material : PVC And Calcium Carbonate, Mimicking Natural Granite Or Marble.

Application : Ideal for interior walls in both commercial and residential spaces.

Function : Enhances living rooms, Bedrooms, and accent walls with a premium

granite-like finish while seamlessly refreshing old surfaces with minimal

effort.

Advantages : Water Resistant, Durable, Low Maintenance, Cost-Effective E

Termite-Resistant.

Life time : 20–25 Years with proper care.

Installation : Easily installed using Adhesive, With minimal surface preparation

required.

Accessories : PVC Border, PVC Internal Corner, PVC L Corner E Aluminium

Accessories

ADVANTAGES K FEATURES







Easy to Clean



Corrosive



Low Maintenance



Fire Resistant



Water Resistant



Reuse

Natural Marble Look


SPECIFICATION

Width: 4 Feet | Height: 8 Feet | Thickness: 3mm E 1.2mm

Pattern: 46 Patterns in 3mm | 5 Patterns in 1.2 mm

Coverage Area: 32 Sq. Ft

3mm - PATTERNS



3mm - PATTERNS





PG10 IMPERIAL BLUE



PG11 DIAMOND CUT



PG12 LAVADIA BLACK MARBLE



PG13 OPERA ORANGE



PG14 SAFFRON BROWN



PG15 3D PASTORAL GRANITE



PG16 VERDANT GRANITE

3mm - PATTERNS



PG-GLITTER PATTERN 3mm



PGG01 GOLDEN HARVEST



PGG02 MOUNTAIN GRANITE



PGG03 SWISS GRANITE



PGG04 GOLDEN VEIN



PGG05 GOLD CALACATTA



PGG06 GREEK GRANITE



PGG07 METALIZED GOLD



PGG08 LOUIS KING

PG-GLITTER PATTERN 3mm



PGG09 GILDED BLUE ROSE




PGG10 LANDU JIN



PGG11 - OX BLUE



PGG12 OCEAN BLUE



PGG13 - ROSY INK



PGG14 GOLDEN SHINE



PGG15 BLUE SPARK



PGG16 EARTH MIST

PG-GLITTER PATTERN 3mm



PGG17 SOFT STORM



PGG18 MAGIC TOUCH



PGG19 GLOW WHITE



PGG20 SILKY GOLD



PGG21 STAR LINE




PGG22 STONE GLOW



PGG23 ROCK BEIGE

1.2 mm - PATTERNS





ACCESSORIES

PVC BORDER



Color: Black Size : Width 8" : Height 10'



Color: Brown
Size: Width 4"
: Height 10'



Color: Brown
Size: Width 8"
: Height 10'



Color: Brown Size: Width 2" : Height 10'



Color: Black Size : Width 4" : Height 10'



Color: Black Size : Width 2" : Height 10'



Color: White Size: Width 4" : Height 10'



Color: Off-White Size: Width 2" : Height 10'

INTERNAL CORNER



Color: Black Size: Length 10'



Color: White Size : Length 10'

L CORNER



Color: Brown Size : Length 10'




Color: Black Size : Length 10'

ACCESSORIES



Size: 10 Running Ft | Color: Rose Gold





STONE PANELS

STONE PANELS

Stone Panels are durable cladding solutions crafted from natural or composite stone, offering a premium aesthetic for both interior E exterior surfaces. Known for their weather resistance, fire safety E long lifespan, they enhance structural beauty while requiring minimal maintenance, making them ideal for feature walls, and outdoor landscapes.

Material : PVC E Calcium Carbonate, Mimicking Natural Granite Or

Marble, Have Both Visual E Physical Texture.

Application : Suitable for both commercial E residential interior wall

Cladding.

Function : Enhances Aesthetics, Provides Insulation, Durability, E

Weather Resistance.

Advantages : Long-lasting, Low-maintenance, Fire-Resistant, Adds

Premium Look.

Life time : Can last over 30 years with proper installation E care.

Installation : Fixed with Adhesives E Aluminum Accessories.

ADVANTAGES K FEATURES







Easy to Clean



Termite Resistant



Low Maintenance



Fire Resistant



Water Resistant




Reuse

Natural Stone Look

SPECIFICATION

Width: 4 Feet | Height: 8 Feet | Thickness: 3mm Pattern: 10 Patterns | Coverage Area: 32 Sq. Ft

PATTERNS




PATTERNS



SP09 LAVA GRAPHITE

SP10 **GROOVED STATUARIO**

ALUMINIUM ACCESSORIES



EDGE STRIP

FLAT STRIP


EXTERNAL CORNER

INTERNAL CORNER

I STRIP

L CORNER

Size: 8 Running Feet | Color: Rose Gold E Gold



WPC INTERIOR FLUTED PANELS

WPC INTERIOR FLUTED PANELS

WPC (Wood-Plastic Composite) interior panels are an eco-friendly E versatile wall cladding solution. Known for their durability, aesthetics E low maintenance, WPC panels are widely used in modern interior design for both residential E commercial spaces.

Material : Wood fibre, Plastic, Additives, Pigments, and UV stabilizers.

Application : Interior wall cladding, ceiling panels, partitions.

Function : Moisture-Resistant, Durable, and Decorative Interior Surface

Material.

Advantages : Water-Resistant, Durable, Low Maintenance, Cost-Effective

E Termite-Resistant.

Life time : 20 years according to proper installation E area of usage

Installation : Easy to Cut, Screw, And Nail, Requires Standard Tools And

Adhesive For Mounting.

ADVANTAGES K FEATURES







Easy to Clean



Light Weight



Low Maintenance



Fire Resistant



Water Resistant



Reuse



Natural Wood Look

MODEL - 1



Width: 6.6 Inch | Height: 9 Feet 6 Inch | Thickness: 24 mm Pattern: 5 Patterns | Per Box Piece: 14 Pieces | Coverage Area: 5.2 Sq. Ft

MODEL - 2



MODEL - 2








3007 JAMAICAN WOOD

Width: 8 Inch | Height: 9 Feet 6 Inch | Thickness: 28 mm Pattern: 7 Patterns | Per Box Piece: 12 Pieces | Coverage Area: 6.3 Sq. Ft

MODEL - 3



3001A SCOTCH MIST



3002A SILVER CHARCOAL



3003A AFRICAN TEAK



3004A CHERRY PINE



3005A ROMAN CREAM


Width: 7.6 Inch | Height: 9 Feet 6 Inch | Thickness: 12 mm Pattern: 5 Patterns | Per Box Piece: 18 Pieces | Coverage Area: 6 Sq. Ft

MODEL-4



Width: 6 Inch | Height: 9 Feet 6 Inch | Thickness: 18 mm Pattern: 5 Patterns | Per Box Piece: 16 Pieces | Coverage Area: 4.7 Sq. Ft

MODEL-5



Width: 5.9 Inch | Height: 9 Feet 6 Inch | Thickness: 8 mm Pattern: 4 Patterns | Per Box Piece: 16 Pieces | Coverage Area: 4.6 Sq. Ft

MODEL-6







8002 FRISO DARK



8003 TURKEY WOOD



8004 KASTURA LIGHT

Width: 6.6 Inch | Height: 9 Feet 6 Inch | Thickness: 17 mm Pattern: 4 Patterns | Per Box Piece: 18 Pieces | Coverage Area: 5.2 Sq. Ft

ACCESSORIES



L CORNER












Size: 10 Feet Length | Per Box: 100 Piece



WPC EXTERIOR FLUTED PANEL

WPC EXTERIOR FLUTED PANEL

WPC (Wood Plastic Composite) panels are decorative wall panels with vertical fluted design creates a visually striking effect, giving walls and facades a Contemporary appearance.

Composed of wood-plastic composite (WPC), combining Material

wood fibres and thermoplastics for enhanced durability and

aesthetics.

Ideal for exterior cladding, decking, fencing, and landscaping, **Application**

suitable for residential and commercial projects.

Function Provides weather resistance, Insulation, and Protection

against UV Rays, Moisture, and Pests.

Eco-Friendly, Available In Various Colours And Finishes, And **Advantages**

Resistant To Warping And Fading.

Life time 25-30 years with proper care and maintenance.

Installation Installed using hidden fasteners or clips for a seamless

appearance, with straight forward alignment and securing

methods.

Accessories L Corners (Available in our pattern colour)

ADVANTAGES K FEATURES







Easy to Clean



Anti Corrosive





Maintenance



Resistant



Resistant



Reuse



Finish

SPECIFICATION

Width: 8.7 Inch | Height: 9 Feet 6 Inch | Thickness: 26mm

Pattern: 4 Patterns | Per box Panel: 5 Pieces | Coverage Area: 6.84 Sq. Ft

PATTERNS



EW01 GREEN HEART WOOD



EW02 METAL GREY WOOD



EW03 EBONY BROWN WOOD




EW04 OXFORD BROWN WOOD

ACCESSORIES





WPC Exterior Accessories L CORNERS
Available in Our Pattern Colour



SPC FLOORING

SPC FLOORING

SPC (Stone Plastic Composite) Flooring is revolutionizing the flooring industry with its robust construction E versatile applications. Designed with a rigid core made from a combination of natural limestone powder, polyvinyl chloride (PVC), and stabilizers, SPC Flooring is engineered to offer superior durability, stability E waterproof performance.

Material Stone Powder, PVC Powder E IXPE Pad.

Application Flooring For Both Commercial And Residential.

Function 100% Water proof, Scratch E stain-resistant, Sound proof E

comfortable, Easy maintenance.

Advantages Affordable Price, Safe, Beauty, Durability, Easy Installation

E Environmental Protection

: 20 Years With Proper Care. Life time

Click-lock system (no glue/nails), Can be installed over Installation

existing flooring Requires expansion gaps for stability.

Skirting line, Reducer, Stair Nose ET-shape Mould. Accessories

ADVANTAGES K FEATURES







Easy to Clean



Termite Resistant



Maintenance



Resistant



Water Proof



Resistant



SPECIFICATION

Width: 7 Inch | Height: 4 Feet | Thickness: 6.5mm (5mm SPC core + 1.5mm IXPE PAD) | Pattern: 6 Patterns | Coverage Area: 2.36 Sq. Ft

PATTERNS



BBF01 - CHIC WALNUT



BBF02 - DARK SEN



BBF03 - THERMO PINE



BBF04 - MOON LIGHT OAK



BBF05 - EXOTIC BEIGE



BBF06 - RIDGED BRAZILIAN

ACCESSORIES










STAIRNOSE

SKIRTING LINE










T-SHAPED MOULD

REDUCER

Size: 8 Feet Length | Per Box: 10 Pieces

Size: 8 Feet Length | Per Box: 20 Pieces



SOFFIT PANELS

SOFFIT PANELS

Sonjt Panel cover the underside of eaves and roof over hangs, combining aesthetic appeal with practical benefits.

Material : Typically Made From PVC with Embossed Wood Texture /

Wooden Designs.

Application : Ceilings Of Porches Or Patios, Balconies. Enhancing

Aesthetics E Shielding The Structural Supports From

Exposure.

Function : Provides Ventilation To Attic Spaces, Protects Rafters From

Moisture, And Enhances Curb Appeal.

Advantages: Low-maintenance, Resistant to Rot and Insects, Available In

Various Styles and Colours.

Life time : Generally Lasts 20-40 Years, Depending On The Material and

Environmental Conditions.

Installation : The Installation Involves the Use Of Aluminum Channels

Along With a Combination Of Accessories and Fasteners.

Accessories : H-Channel, J-Channel, Inner Corner E Outer Corner.

ADVANTAGES K FEATURES



Easy to Easy to



Anti Bacterial



Maintenance



Fire Resistant



Water Resistant



Light Weight



Seamless Look

SPECIFICATION

Width: 1 Feet | Height: 12 Feet | Thickness: 1mm | Pattern: 9 Patterns

Coverage Area: 12 Sq. Ft | Per Box Piece: 12 Piece

PATTERNS



SW001 EARLY AMERICAN



SW002 TEAK WOOD



SW003 LIGHT OAK



SW004 WALNUT BROWN



SW005 JACOBEAN WOOD



SW006 GRAPHITE

PATTERNS



SW007 WHITE



SW008 WESTERN BROWN



SW009 ORIENTAL WHITE OAK

ACCESSORIES




Size: 12 Feet Length

H-Channel - Per Box- 24 Pieces

J-Channel - Per Box- 40 Pieces

Inner Corner - Per Box- 10 Pieces

Outer Corner - Per Box- 10 Pieces



SOFFIT FLUTED PANEL

SOFFIT FLUTED PANELS

Sonjt Fluted Panels are stylish, durable exterior cladding solutions designed for enhanced aesthetics and ventilation. Made from weather-resistant materials, they provide a modern fluted texture, ensuring a sleek finish while protecting structures from moisture, heat, and pests. Ideal for sonjt applications in residential and commercial spaces

Material : 97% PVC Raw material

Application : Perfect for ceilings, balconies, porches, and transitional indoor,

outdoor areas.

Function : Best suited for modern homes, resorts, showrooms, and

semi-open spaces.

Advantages : They add premium aesthetics, provide insulation, and require

very low maintenance.

Life time : 15 Years

Installation : Easy to install using clips or screws on basic framing, ensuring

a seamless finish.

Accessories : H-Channel, J-Channel, Inner Corner E Outer Corner.

ADVANTAGES K FEATURES



Easy to

Install





Bacterial

Low Maintenance



Fire Resistant



Water Resistant



Light Weight



Look

SPECIFICATION

Width: 1 Feet | Height: 12 Feet | Thickness: 1mm | Pattern: 7 Patterns

Coverage Area: 12 Sq. Ft | Per Box Piece: 12 Piece

PATTERNS









SFP001 SUNSET-CHERRY

SFP002 DEEP CHESTNUT

SFP003 CARAMEL TIMBER

SFP004 WHEAT OAK







SFP006 SMOKEY WALNUT


ACCESSORIES



Size: 12 Feet Length

J-Channel - Per Box- 40 Pieces
Inner Corner - Per Box- 10 Pieces
Outer Corner - Per Box- 10 Pieces

H-Channel - Per Box- 24 Pieces



PU STONE PANELS

PU STONE PANELS

PU (Poly Urethane) Stone Panels are cutting-edge building materials that offer the perfect blend of aesthetics and practicality. These light weight, durable panels are designed to replicate the natural beauty and texture of traditional stone with added modern benefits.

Material : Polyurethane (PU)

Application : Wall Panelling, Lobby Areas, Feature Walls, Interior.

Function : Water-Proof, Anti-corrosion, Anti-Insect E Heat insulation.

Advantages : Affordable Price, Safe, Attractive, Durable, Easy Installation

E Environmentally friendly.

Life time : 20-30 years, Depending on Installation E Exposure.

Accessories : Silicon Glue, Screw E Nail.

ADVANTAGES K FEATURES



Easy to Install



Light Weight



Cost Effective



ECO Friendly



Low Maintenance



Fire Resistant



Thermal Insulation



Seamless Look

SPECIFICATION

Size: 4 Feet Height x 2 Feet Width | Covered Area: 8 Sq. Ft

Thickness: 30 mm E 50 mm | Pattern: 8+

50 MM - PATTERNS



PU01 PURE BLACK (MODEL M)



PU02 ELEGANT BLACK (MODEL M)



PU03 VOLCANIC GREY (MODEL M)

30 MM - PATTERNS



PU04 WHITE HUMP (MODEL **J**)



PU05 EARTHY HUMP (MODEL J)



PU06 HALF DISK (MODEL B1)



PU07 TWIN MOON (MODELJLZ)

30 MM - PATTERNS



Pu08 VERTICAL TERRACOTTA (MODEL W1)

Model(M): PU01, PU02, PU03

Width: 2 Feet | Height: 4 Feet | Thickness: 50mm | Pattern: 3 Patterns

Coverage Area: 8 Sq. Ft | Per Box Piece: 7 Piece | Box Coverage Area: 56 Sq. Ft

Model(J): PU04, PU05

Width: 2 Feet | Height: 4 Feet | Thickness: 30mm | Pattern: 2 Patterns

Coverage Area: 8 Sq. Ft | Per Box Piece: 16 Piece | Box Coverage Area: 64 Sq. Ft

Model(B1): PU06

Width: 2 Feet | Height: 4 Feet | Thickness: 30mm | Pattern: 1 Patterns

Coverage Area: 8 Sq. Ft | Per Box Piece: 10 Pieces | Box Coverage Area: 80 Sq. Ft

Model(JLZ): PU07


Width: 2 Feet | Height: 4 Feet | Thickness: 30mm | Pattern: 1 Patterns

Coverage Area: 8 Sq. Ft | Per Box Piece: 16 Piece | Box Coverage Area: 128 Sq. Ft

Model(W1): PU08

Width: 2 Feet | Height: 4 Feet | Thickness: 30mm | Pattern: 1 Patterns

Coverage Area: 8 Sq. Ft | Per Box Piece: 12 Piece | Box Coverage Area: 96 Sq. Ft



BAMBOO CHARCOAL BOARD

BAMBOO CHARCOAL BOARD

Bamboo Charcoal Boards are a revolutionary Eco-friendly building material crafted from sustainable bamboo, which is carbonised through a high temperature process. As the world shifts towards greener and healthier living environments, these boards stand out for their unique combination of environmental benefits, functional features E stylish design.

Material Bamboo Fibre Solid Board, PET, PU, PP, PVC film, Stone

Powder, Wood Powder E PVC.

Application Interior Wall Decoration E Ceiling

Function Water-Proof, Fire-Proof, Moisture Proof, Heat Insulation,

Anti-Corrosion E Anti-Insect.

Advantages Affordable Price, Flexible, Safe, Beauty, Durability,

Easy Installation E Environmental Protection.

Life time 20 Years.

Installation The Installation Involves the Use Of Aluminum Channels

Along With a Combination Of Accessories and Fasteners.

H-Profile, Mid-Profile, External Profile, Edge Profile E Accessories

Collor Profile.

ADVANTAGES K FEATURES



Anti

Bacterial









Durability



Versatile Applications



Fire Resistant



Resistant



Non Toxic



Seamless Look

SPECIFICATION

Width: 4 Feet | Height: 8 Feet | Thickness: 8mm | Pattern: 9 Patterns

Coverage Area: 32 Sq. Ft

PATTERNS



BCB01 GREYIRISH



BCB02 CREEN LINEN



BCB03 MATTY BROWN



BCB04 PRESTIGE WHITE



BCB05 SPANDEX WHITE



BCB06 SILVER HORIZON



BCB07 BROWN TUSSAR




BCB08
COTTON BLEND




BCB09 CREAM DIAMOND

ACCESSORIES



Size: 10 Feet Length



WALLPAPERS

WALLPAPERS

Wallpaper is a versatile decorative material used to enhance interior spaces, offering a wide range of colours, patterns, and textures. Made from paper with 210 GSM. Commonly used on one wall to create a focal point, drawing attention and adding depth to a room.

Material : Made from paper with 210 GSM E non-woven, offering

diverse textures E finishes.

Application : Used for interior wall decoration in residential, commercial,

and institutional spaces, providing a range of design

possibilities.

Function : Adds Visual Interest And Complements Interior Themes,

Providing A Sleek And Polished Appearance

Advantages : Available in a wide array of colours and patterns, easy to

clean, and can be used to hide wall imperfections.

Life time : 5-15 years or more, depending on the Area of Application

maintenance.

Installation : Applied using paste or adhesive, often requiring specific

techniques for alignment and smoothing.

SPECIFICATION

Width: 1 Feet 9 Inch | Height: 32 Feet | Thickness: 210 GSM


Pattern: 51 Patterns in Model 1 | 8 Patterns in Model 2


Coverage Area: 56 Sq. Ft | Per Box Piece: 20

MODEL - 1











MC120044

MC120035

MC120037

MC120036

MC120038

MODEL - 1



MODEL - 1




MODEL-2





LX888054





PVC PANELS

PVC PANELS

PVC (Poly-vinyl Chloride) Panels are a cutting-edge interior and exterior cladding solution that combines aesthetic versatility with practical performance. As a modern solution for both decorative and functional cladding, PVC Panels are paving the way for innovative design while offering superior durability, affordability and environmental resistance.

Material : Poly – vinyl Chloride (PVC)

Application : Wall and Ceiling panelling, living rooms, lobbies E

Commercial spaces.

Function : Water Resistant, Fire Resistant, Moisture Resistant,

HeatInsulation, Anti-Corrosion E Anti-Insect.

Advantages : Affordable Price, Safe, Aesthetic, Durable, Easy to Install

E Environmentally Friendly.

Life time : 10-15 years, Depending on installation and environment.

Installation : Overlapping of Panels With Fasteners, Frame works E

Proper Sealing.

Accessories : U-Corner, L-Corner E H-Corner.

ADVANTAGES K FEATURES







Low Maintenance



Termite Resistant



Seamless Look



Fire Resistant



Water Resistant







PATTERNS







PVC02 WILD CHEERY



PVC03 DECORATIVE GOLD



PVC04 RIVER STONE GREY



PVC05 DARK CARAMEL



PVC06 BRUMA TEAK

Width: 15 Inch | Height: 10 Feet Thickness: 6mm | Pattern: 6 Patterns Coverage Area: 12.5 Sq. Ft Per Box Piece: 8 Pieces

PVC 2 GROOVE PANEL




Width: 1 Feet | Height: 10 Feet | Thickness: 8.5mm | Pattern: 4 Patterns Coverage Area: 10 Sq. Ft | Per box Piece: 10 Pieces

ACCESSORIES



Size: 10 Feet Length | Per Bundle: 40 Pieces



PVC PARTITION

PVC PARTITION

PVC Partition is a lightweight, durable, and cost-effective solution for creating flexible spaces in homes, onjces, and commercial areas. It is waterproof, termite-resistant, and easy to install, offering a sleek and modern look with minimal maintenance. Ideal for both temporary and permanent setups

PVC Partition is the perfect choice to replace the rough brick walls.

Material : PVC (Polyvinyl chloride) 40% virgin PVC,60% stone powder

and additives

Application : Perfect for onices, clinics, homes, and retail setups. They're a

stylish solution to create cabins, dividers, or private zones.

Function : PVC partitions help split your space smartly without heavy

construction. They offer a clean, modern finish with added

moisture and sound resistance.

Life time : 20 years, Depending on installation and environment.

Installation : Lightweight panels easily fit into frames with basic tools. No mess,

no hassle—quick installation within hours!

Accessories : PVC End cap 85*50 mm

ADVANTAGES K FEATURES



Easy Divide Interior Space



Reuse



Low Maintenance



Termite Resistant



Easy to Install



Fire Resistant



Light Weight



PVC PARTITION



BBPP001 NOVA WALNUT



BBPP002 LIGHT TOKYO



BBPP003 SEA PEARL



BBPP004 BLUSH BEIGE




PP005 AMERICAN MAPLE

Height: 9.7 Feet | Width: 1.31 Feet | Thickness: 26 mm Pattern: 5+ | Area of coverage: 12.71 Sq. Ft

ACCESSORIES



Length: Running 9.7 Feet



STONE COATED STEEL ROOFING

STONE COATED STEEL ROOFING

Stone Coated Steel Roofing is a durable roofing solution that combines the strength of steel with the aesthetic appeal of natural stone. Light weight, weather-resistant, and energy-enjcient, it offers long-lasting protection with minimal maintenance.

Material : Made From Galvanized Steel Layer With Natural Stone Chips

Bonded By Acrylic Resin

Application: Used In Residential, Commercial, And Public Buildings,

Especially In Harsh Climates

Function : Provides Weather Protection, Thermal Insulation, Noise

Reduction, And Fire Resistance.

Advantages : Light Weight, Durable, Low-maintenance, Eco-friendly E

Aesthetically Versatile.

Life time : 40-70 years, or more than 50 years with proper

maintenance.

Installation : Overlapping of Panels With Fasteners, Frame works E

Proper Sealing.

Accessories : Flat Sheet, Eaves Flashing, Valley Gutter, Ridge Cap, Barge

Board, 3 Way Ridge E side Flashing.

ADVANTAGES K FEATURES



Easy to

Install







Corrosion

Resistant

ECO Friendly



Strong (High Quality)











SPECIFICATION

Width: 2 Feet 8 Inch | Height: 7 Feet 7 Inch | Thickness: 0.4mm

Pattern: 5 Patterns | Coverage Area: 20.2 Sq. Ft

PATTERNS



BBSC 01 WINE RED



BBSC 02 BROWN BLACK



BBSC 03 FOREST GREEN




BBSC 04 ARTICAL BLUE



BBSC 05 SMOKY GREY

ACCESSORIES



3 Way Ridge



Width: 1 Feet 6 Inch

Flat Sheet — Height: 6 Feet 6 Inch

Thickness: 0.4 mm



Ridge Cap Width: 5.9 Inch
Height: 3.77 Feet
Thickness: 0.4mm



Width: 9.4 Inch

Barge Board — Height: 6 Feet 6 Inch

Thickness: 0.4 mm




Width: 5.5 Inch
Side Flashing — Height: 6 Feet 6 Inch
Thickness: 0.4 mm



Width: 8.3 Inch

Eaves Flashing — Height: 6 Feet 6 Inch
Thickness: 0.4 mm



Valley Gutter — Width: 8.3 Inch
Height: 6 Feet 6 Inch
Thickness: 0.4 mm



UPVC ROOFING SHEET

UPVC ROOFING SHEET

UPVC Roofing Sheets are highly durable, lightweight, and versatile roofing solutions made from Unplasticized Polyvinyl Chloride (UPVC). These sheets are known for their exceptional weather resistance, corrosion resistance, and thermal insulation properties, making them ideal for residential, commercial, and industrial applications.

Material : Unplasticized PVC with stabilizers, pigments, and UV

protection additives.

Application : Ideal for roofing warehouses, car sheds, factories, houses, and

terrace coverings.

Function : Water-proof, Fire-resistant, Weather-protection, Anti-corrosion,

Thermal-insulation, Noise-reduction

Advantages : Affordable Price, Safe, Beauty, Durability, Easy Installation,

Environmental Protection

Life time : 20 – 30 Years

Installation : Lightweight and easy to install with screws and sealing washers

on metal or wooden purlins.

ADVANTAGES K FEATURES







Corrosion Resistant







Strong (High Quality)



ECO Friendly



Fire Resistant



Easy to Install



Low Maintenance

SPECIFICATION

Width: 3.6 Feet | Height: 8 Feet / 10 Feet / 12.2 Feet

Thickness: 2.5mm | Pattern: 4 Patterns Coverage Area: 28.80 / 36 / 43.92 Sq. Ft

PATTERNS



UPVC 01 DARK GREEN



UPVC 02 ORANGE



UPVC 03 NAVY BLUE



UPVC 04 BROWN

ACCESSORIES



WALL FLASHING BOARD



INSIDE CORNER DEFLECTOR



TOP RIDGE TILES



THREE-WAY RIDGE



FOUR-WAY RIDGE



SCREW CAP



HIP RIDGE

ADHESIVE



MAIN PURPOSES

Bonding Wood E PVC, Ceramic, Masonry, Aluminum, Metal, Timber, Steel, Concrete, Glass, Plasterboard, E flooring Paneling, Etc.,

PRODUCTS FEATURES

- Good weather resistance
- Low-odour E eco friendly
- Super Initial Strength, Long-Lasting Viscosity E Good Bonding Strength
- Wide application range, suitable for most of materials E also suitable for the gap filling.
- No containing to toluene, benzene or other hazardous material.

APPLICATION METHOD

- Clean the surface E remove any oil stains or ash.
- Cut open the orifice, attach the nozzle, E use a gun to squeeze out the adhesive.

BONDING PROCESS FOR LIGHT MATERIALS:

(For light materials and low-pressure bonding) Apply the adhesive in a 'Z' shape with 40cm gaps, press the materials firmly, separate them for a few minutes, then press again.

BONDING PROCESS FOR HEAVY MATERIALS:

Apply the adhesive as instructed, then secure with clamps, nails, or screws. Remove the clamps after 24 hours. Adjust positions within 20 minutes. Adhesion strengthens in 2–3 days E reaches full strength in 7 days.

ADHESIVE



MAIN PURPOSES

Liquid nails have super strength E can replace nails for bonding wood, plasterboard, MDF, metal, plastic, E rubber without drilling."

PRODUCTS FEATURES

- Extremely strong adhesion.
- Highly flexible with stable adhesion.
- Versatile use, suitable for most base materials, including wet wood.
- Non-sagging, suitable for joint filling, E paintable after drying.
- Excellent weather resistance E waterproofing. Safe, odorless, and eco-friendly.

APPLICATION METHOD

- Clean the surface E remove any oil stains or ash.
- Cut open the orifice, attach the nozzle, E use a gun to squeeze out the adhesive.

BONDING PROCESS FOR LIGHT MATERIALS:

(For light materials and low-pressure bonding) Apply the adhesive in a 'Z' shape with 40cm gaps, press the materials firmly, separate them for a few minutes, then press again.

BONDING PROCESS FOR HEAVY MATERIALS:

Apply the adhesive as instructed, then secure with clamps, nails, or screws. Remove the clamps after 24 hours. Adjust positions within 20 minutes. Adhesion strengthens in 2–3 days E reaches full strength in 7 days.



PRODUCT DESCRIPTION

Neutral silicone sealant is a single-component, anti-bacterial oxime cure sealant that forms a strong, waterproof seal. Its flexible, multi-purpose formula includes anti-fungal properties to prevent mold and bacteria growth."

GUIDELINES

Ensure all surfaces are clean and dry.

This product is not suitable for structural assembly, alkaline surfaces like marble and granite, or areas that are frosty, humid,

- poorly ventilated, or contain grease or plasticizers.
- Keep away from children.
- Keep the package sealed and ensure proper ventilation at the worksite.

Avoid contact with eyes and skin. If contact occurs, rinse immediately with clean water

 and seek medical help. Perform a trial test before use to ensure safety and effectiveness.

Store in a cool, dry place below 27.C.

SHELF LIFE

12 Months